







Clean casing pipe/core drilling and carrier pipe. Carrier pipes must be suitable, dimensionally stable and without damage in the sealing area. Core drillings have to be made true to scale and with a smooth inner side.



We recommend coating core drillings with ProteX epoxy resin in order to protect the concrete and smoothen possible cavities/grooves.



Verify the casing pipe/core drilling and carrier pipe diameters based on the sealing kit data. Insert the Compakt seal into the casing pipe or core drilling flush with the wall and insert the carrier pipe. Care must be taken to ensure the sealing insert is mounted on the outside of the building (tolerance for the carrier pipes).



In doing so, the nuts should preferably point to the inside in order to be accessible for subsequent tightening. The Compakt seal split version is available for subsequent mounting. Tighten the nuts a few turns clockwise. Repeat this procedure two or three times, but not beyond the maximum torque (see table below). Tighten again after half an hour!



NOTE

If pipelines are already installed, the hinged version (Fig. 1) can be folded out, placed around the pipeline and securely locked with the lock. The split version with puzzle lock (Fig. 2) must be dismantled and mounted on the pipe before installation. Subsequent division of the rubber element (Fig. 3) must be carried out with a sharp cutter knife at an angle to the holes. Thus, the existing pipes and cables can be inserted into the sealing rubber, fix the pressure plates back on the rubber element and finish the installation.



Wall opening ID	Carrier pipe OD	
50 mm	6 - 12 mm	
70 mm	20 - 41 mm	
80 mm	20 - 50 mm	
100 mm	15 - 65 mm	
125 mm	nm 55 - 78 mm	
150 mm	m 46 - 110 mm	
200 mm	88 - 160 mm	
250 mm	135 - 210 mm	
300 mm	178 - 226 mm	
350 mm	0 mm 224 - 282 mm	
400 mm 270 - 330 mm		





Nuts	Max. Torque	Torque for thin-walled plastic pipes	WR Super Soft	KTW
M 6	5 Nm	5 Nm	3 Nm	8 Nm
M 8	17 Nm for standard seal 20 Nm for standard seal	8 Nm for standard seal 15 Nm for standard seal	5 Nm	12 Nm
M 10	30 Nm	22 Nm	-	25 Nm
M 12	35 Nm	25 Nm	-	30 Nm





